

Package: bayesefa (via r-universe)

June 13, 2026

Type Package

Title Bayesian Exploratory Factor Analysis

Version 0.0.0.6

Date 2026-05-12

Description Exploratory Bayesian factor analysis of continuous, mixed-type, and bounded continuous variables using the mode-jumping algorithm of Man and Culpepper (2020) [doi:10.1080/01621459.2020.1773833](https://doi.org/10.1080/01621459.2020.1773833).

License GPL-3

SystemRequirements C++17

Depends R (>= 3.5.0)

Imports Rcpp (>= 1.0.1)

LinkingTo Rcpp, RcppArmadillo

Encoding UTF-8

LazyData true

Config/roxygen2/version 8.0.0

NeedsCompilation yes

Author Albert Man [aut], Steven Andrew Culpepper [aut, cre] (ORCID: <https://orcid.org/0000-0003-4226-6176>)

Maintainer Steven Andrew Culpepper <sculpepp@illinois.edu>

Repository <https://steveculpepper.r-universe.dev>

Date/Publication 2026-06-12 11:20:14 UTC

RemoteUrl <https://github.com/cran/bayesefa>

RemoteRef HEAD

RemoteSha 0d1d4ba91f2968bf70cce2ba82246bec9fda1c54

Contents

bayesefa-package	2
EFA_Mode_Jumper	2
exchangerate	4
IFA_Mode_Jumper	5
IFA_Mode_Jumper_MixedResponses	6
min2LL_ono	7
mixedresponse_posterior_prediction	8
proposal2	9

Index	10
--------------	-----------

bayesefa-package	<i>bayesefa: Bayesian Exploratory Factor</i>
------------------	----------------------------------------------

Description

Exploratory Bayesian factor analysis of continuous, mixed-type, and bounded continuous variables using the mode-jumping algorithm of Man and Culpepper (2020) [doi:10.1080/01621459.2020.1773833](https://doi.org/10.1080/01621459.2020.1773833).

Author(s)

Maintainer: Steven Andrew Culpepper <sculpepp@illinois.edu> ([ORCID](#))

Authors:

- Steven Andrew Culpepper <sculpepp@illinois.edu> ([ORCID](#))
- Albert Man <aman3@illinois.edu>

References

Man, A. & Culpepper, S. A. (2020). A mode-jumping algorithm for Bayesian factor analysis. *Journal of the American Statistical Association*, [doi:10.1080/01621459.2020.1773833](https://doi.org/10.1080/01621459.2020.1773833).

EFA_Mode_Jumper	<i>Exploratory Factor Analysis of Continuous Response Data</i>
-----------------	----------------------------------------------------------------

Description

Implement the Man and Culpepper (2020) mode-jumping algorithm to factor analyze continuous response data.

Usage

```
EFA_Mode_Jumper(Y, M, gamma, burnin, chain_length = 10000L)
```

Arguments

Y	A N by J matrix of mean-centered, continuous variables.
M	An integer specifying the number of factors.
gamma	The value of the mode-jumping tuning parameter. Man and Culpepper (2020) used gamma = 0.5.
burnin	Number of burn-in iterations to discard.
chain_length	The total number of iterations (burn-in + post-burn-in).

Value

A list that contains nsamples = chain_length - burnin array draws from the posterior distribution:

- LAMBDA: A J by M by nsamples array of sampled loading matrices.
- PSIs: A J by nsamples matrix of vector of variable uniquenesses.
- ROW_OUT: A matrix of sampled row indices of founding variables for mode-jumping algorithm.
- F_OUT: An array of sampled factor scores.
- ACCEPTED: Acceptance rates for mode-jumping Metropolis-Hastings (MH) steps.

Author(s)

Steven Andrew Culpepper, Albert Man

References

Man, A. & Culpepper, S. A. (2020). A mode-jumping algorithm for Bayesian factor analysis. *Journal of the American Statistical Association*, doi:10.1080/01621459.2020.1773833.

Examples

```
data(exchangerate)

#Retain complete cases and drop Month_Year column
X<-exchangerate[complete.cases(exchangerate),-1]
X<-apply(X,2, diff)
X<-as.matrix(scale(X))

#Specify the number of factors
my_M<-2

#Run the mode-jumping EFA algorithm
burn_in<-150
chain_length<-300
out <- EFA_Mode_Jumper(X,my_M,gamma=0.5,burnin=burn_in,chain_length)

#Rotate all samples to permutation positive lower triangular (PPLT)
#structure with USD and FRF as factor founding variables
my_lambda_sample = out$LAMBDA
for (j in 1:dim(my_lambda_sample)[3]) {
```

```

my_rotate = proposal2(c(1,4),my_lambda_sample[, ,j],out$F_OUT[, ,j])
my_lambda_sample[, ,j] = my_rotate$lambda
}

#compute posterior mean of PPLT loadings
mLambda<-apply(my_lambda_sample,c(1,2),mean)

```

exchangerate

International Exchange Rate Dataset

Description

This dataset was considered by West and Harrison (1997) and Lopes and West (2004). The dataset consists of $n = 143$ monthly first-differences of the exchange rates of 6 international currencies against the British pound, from Jan 1975 to Dec 1986, these currencies are: US dollar (USD), Canadian dollar (CAD), Japanese yen (JPY), French franc (FRF), German (deutsche) mark (DEM), and the Italian lira (ITL).

Usage

```
exchangerate
```

Format

A 143 by 7 matrix of exchange rate time-series. The variables include:

Month_Year Month and year of exchange rate data.

USD US dollar

CAD Canadian dollar

JPY Japanese yen

FRF French franc

DEM German (deutsche) mark

ITL Italian lira

Author(s)

Steven Culpepper

Source

Lopes, H. F., and West, M. (2004). Bayesian model assessment in factor analysis, *Statistica Sinica*, 14, 41–67.

Man, A. & Culpepper, S. A. (2020). A mode-jumping algorithm for Bayesian factor analysis. *Journal of the American Statistical Association*, doi:10.1080/01621459.2020.1773833.

West, M., and Harrison, J. (1997), *Bayesian forecasting and dynamic models* (2nd ed.), Berlin, Heidelberg: Springer-Verlag.

Description

Implement the Man and Culpepper (2020) mode-jumping algorithm to factor analyze ordinal response data. Missing values should be specified as a non-numeric value such as NA.

Usage

```
IFA_Mode_Jumper(Y, M, gamma, Ms, sdMH, burnin, chain_length = 10000L)
```

Arguments

Y	A N by J matrix of item responses.
M	The number of factors.
gamma	Mode-jumping tuning parameter. Man & Culpepper used 0.5.
Ms	A vector of the number of score categories. Note 2 = two parameter normal ogive, >2 ordinal normal ogive.
sdMH	A vector of tuning parameters of length J for implementing the Cowles (1996) Metropolis-Hastings threshold sampler.
burnin	Number of burn-in iterations to discard.
chain_length	The total number of iterations (burn-in + post-burn-in).

Value

A list that contains `nsamples = chain_length - burnin` array draws from the posterior distribution:

- LAMBDA: A J by M by nsamples array of sampled loading matrices on the standardized metric.
- PSIs: A J by nsamples matrix of vector of variable uniquenesses on the standardized metric.
- ROW_OUT: A matrix of sampled row indices of founding variables for mode-jumping algorithm.
- THRESHOLDS: An array of sampled thresholds.
- INTERCEPTS: Sampled variable thresholds on the standardized metric.
- ACCEPTED: Acceptance rates for mode-jumping Metropolis-Hastings (MH) steps.
- MHACCEPT: A J vector of acceptance rates for item threshold parameters. Note that binary items have an acceptance rate of zero, because MH steps are never performed.

Author(s)

Albert X Man, Steven Andrew Culpepper

References

- Cowles, M. K. (1996), Accelerating Monte Carlo Markov chain convergence for cumulative link generalized linear models," *Statistics and Computing*, 6, 101-111.
- Man, A. & Culpepper, S. A. (2020). A mode-jumping algorithm for Bayesian factor analysis. *Journal of the American Statistical Association*, doi:10.1080/01621459.2020.1773833.

IFA_Mode_Jumper_MixedResponses

Exploratory Factor Analysis of Mixed-Type Responses

Description

Implement the Man and Culpepper (2020) mode-jumping algorithm to factor analyze mixed-type response data. Missing values should be specified as a non-numeric value such as NA.

Usage

```
IFA_Mode_Jumper_MixedResponses(
  Y,
  M,
  gamma,
  Ms,
  sdMH,
  bounds,
  burnin,
  chain_length = 10000L
)
```

Arguments

Y	A N by J matrix of mixed-type item responses.
M	An interger specifying the number of factors.
gamma	The value of the mode-jumping tuning parameter. Man and Culpepper (2020) used gamma = 0.5.
Ms	model indicator where 0 = "bounded", 1 = "continuous", 2 = "binary", >2 = "ordinal".
sdMH	A J vector of tuning parameters for the Cowles (1996) Metropolis-Hastings sampler for ordinal data latent thresholds.
bounds	A J by 2 matrix denoting the min and max variable values. Note that bounds are only used for variable j if element j of Ms is zero.
burnin	Number of burn-in iterations to discard.
chain_length	The total number of iterations (burn-in + post-burn-in).

Value

A list that contains nsamples = chain_length - burnin array draws from the posterior distribution:

- LAMBDA: A J by M by nsamples array of sampled loading matrices on the standardized metric.
- PSIs: A J by nsamples matrix of vector of variable uniquenesses on the standardized metric.
- ROW_OUT: A matrix of sampled row indices of founding variables for mode-jumping algorithm.
- THRESHOLDS: An array of sampled thresholds.
- INTERCEPTS: Sampled variable thresholds on the standardized metric.
- ACCEPTED: Acceptance rates for mode-jumping Metropolis-Hastings (MH) steps.
- MHACCEPT: A J vector of acceptance rates for item threshold parameters. Note that binary items have an acceptance rate of zero, because MH steps are never performed.
- LAMBDA_unst: An array of unstandardized loadings.
- PSIs_inv_unst: A matrix of unstandardized uniquenesses.
- THRESHOLDS_unst: Unstandardized thresholds.
- INTERCEPTS_unst: Unstandardized intercepts.

Author(s)

Albert X Man, Steven Andrew Culpepper

References

Cowles, M. K. (1996), Accelerating Monte Carlo Markov chain convergence for cumulative link generalized linear models," *Statistics and Computing*, 6, 101-111.

Man, A. & Culpepper, S. A. (2020). A mode-jumping algorithm for Bayesian factor analysis. *Journal of the American Statistical Association*, doi:10.1080/01621459.2020.1773833.

min2LL_ono

Compute Deviance for Ordinal Probit Factor Model

Description

Internal function to compute -2LL using unstandardized parameters.

Usage

min2LL_ono(N, J, Y, MISS, as, bs, theta, Ms, Kaps)

Arguments

N	The number of observations. (> 0)
J	The number of items. (> 0)
Y	A N by J matrix of item responses.
MISS	A N by J matrix of missing data indicators.
as	A matrix of item loadings.
bs	A vector of threshold parameters.
theta	A matrix of factor scores.
Ms	A vector of the number of score categories. Note 2 = two parameter normal ogive, >2 ordinal normal ogive.
Kaps	A matrix of category thresholds.

Value

-2LL.

Author(s)

Steven Andrew Culpepper

mixedresponse_posterior_prediction

Posterior Predictions of Item Factor Analysis with Mixed Response Types

Description

Generate posterior predictions for new variables using posterior samples.

Usage

```
mixedresponse_posterior_prediction(  
  OUTPUT,  
  Y,  
  Ms,  
  variable_predict_flag,  
  bounds,  
  n_mcmc_iterations = 10L  
)
```

Arguments

OUTPUT	A list of output from IFA_Mode_Jumper_MixedResponses.
Y	A N by J matrix of item responses for predictions. Variables to predict are indicated in Y by NAs.
Ms	model indicator where 0 = "bounded", 1 = "continuous", 2 = "binary", >2 = "ordinal".
variable_predict_flag	A J vector. 0 = do not predict the variable; 1 = predict the variable.
bounds	A J by 2 matrix denoting the min and max variable values. Note that bounds are only used for variable j if element j of Ms is zero.
n_mcmc_iterations	The number of Gibbs iterations for sampling posterior predictions for factor scores and missing data. The default is 10 iterations.

Value

array of predictions for all posterior samples provided in OUTPUT.

Author(s)

Steven Andrew Culpepper

proposal2	<i>Rotate loadings and factor scores to a permuted positive lower triangle</i>
-----------	--------------------------------------------------------------------------------

Description

Rotates loading matrix according to specified founding variable row indices.

Usage

```
proposal2(new_r_idx, lambda, factors)
```

Arguments

new_r_idx	vector of row indices of length equal to the number of factors.
lambda	Loading matrix.
factors	A n x m matrix of factor scores that is rotated.

Value

A list of rotated loadings and factors.

Author(s)

Albert X Man

Index

* datasets

- exchangerate, 4

- bayesefa (bayesefa-package), 2
- bayesefa-package, 2

- EFA_Mode_Jumper, 2
- exchangerate, 4

- IFA_Mode_Jumper, 5
- IFA_Mode_Jumper_MixedResponses, 6

- min2LL_ono, 7
- mixedresponse_posterior_prediction, 8

- proposal2, 9